UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------------|---------------------|------------------|
| 10/522,757 | 01/28/2005 | Michael Richard Richardson | 19941 (XA2017) | 9342 |
| 23389 7590 03/09/2010 SCULLY SCOTT MURPHY & PRESSER, PC 400 GARDEN CITY PLAZA SUITE 300 GARDEN CITY, NY 11530 | | | EXAMINER | |
| | | | TAYONG, HELENE E | |
| | | | ART UNIT | PAPER NUMBER |
| | | | 2611 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 03/09/2010 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) | | | |
|--|--|--|--|--|--|
| Office Action Summary | 10/522,757 | RICHARDSON, MICHAEL RICHARD | | | |
| omec Action Gammary | Examiner | Art Unit | | | |
| | HELENE TAYONG | 2611 | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | |
| Status | | | | | |
| 1) Responsive to communication(s) filed on <u>04 December</u> 2a) This action is FINAL. 2b) This 3) Since this application is in condition for alloware closed in accordance with the practice under Exercise | action is non-final. nce except for formal matters, pro | | | | |
| Disposition of Claims | | | | | |
| 4) ☐ Claim(s) 2-8 and 12-23 is/are pending in the ap 4a) Of the above claim(s) is/are withdrav 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 2-8 and 12-23 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or | vn from consideration. | | | | |
| Application Papers | | | | | |
| 9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 28 January 2005 is/are: Applicant may not request that any objection to the ore Replacement drawing sheet(s) including the correction 11) ☐ The oath or declaration is objected to by the Examine 11. | a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. See on is required if the drawing(s) is obj | e 37 CFR 1.85(a). sected to. See 37 CFR 1.121(d). | | | |
| Priority under 35 U.S.C. § 119 | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) | 4) Interview Summary Paper No(s)/Mail Da | nte | | | |
| 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 11/23/09. 5) Notice of Informal Patent Application 6) Other: | | | | | |

Art Unit: 2611

DETAILED ACTION

This office action is in response to the amendment filed on 12/04/09
 Claims 2-8 and 12-23 are pending in this application and have been considered below.

Response to Arguments

2. Applicant's arguments with respect to rejection of Claims 2-8 and 12-23 under 35 U.S.C. § 103(a) as being unpatentable over Mege et al., U.S. Pat. Pub. 2001/0005406 (hereinafter "Mege") in view of Critchlow, U.S. Patent No. 5,276,706, and further in view of Zhou, U.S. Patent No. 6,859,491 have been considered but are moot in view of the new ground(s) of rejection because of amendment.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 2-8 and 12-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mege et al (US (20010005406) in view of Critchlow (US 5276706) and further in view of Liu (20050147188).

Application/Control Number: 10/522,757

Art Unit: 2611

(1) with regards to claims 20 and 23;

Mege et al in (fig. 2) discloses a method of regenerating a remotely transmitted signal (pg. 3, [0037]) comprising a symbol stream (fig. 1, (5) modulated (1) onto a carrier (3) in accordance with a predetermined standard (fig. 1 and 3, pg. 3, [0028]), the method including the steps of:

Page 3

- a) receiving the remotely transmitted signal having known characteristics (fig. 2, 10 and 9, pg. 3, [0037]);
- b) determining frame timing of the received signal (fig. 2, 11, pg.3, [0039]-[0040]);
- c) identifying the locations of sequences (synchronization pattern) within the signal from the frame timing (fig. 2, 11, pg.4, [0041]-[0044], page 5, [0057]);
- d) identifying the structure of the sequences (page 3, [0036], page 5, [0066], pg. 7, [0067] and [0073]);
- e) estimating phase shift values (ST) at the locations of the sequences (page 3, [0040], pg. 4, [0046]-0053]);
- f) demodulating (fig. 2, 12) the symbol stream using the estimated phase shift (ST) values and the structure of the sequences (page 3, [0039], pg. 4, [0045]); and
- g) remodulating (fig. 5, 1) the symbol stream (page 6, [0069], [0079], [0080]-[0082]);

wherein the sequences include one training sequences, synchronization signals (fig. 1,5, fig. 2, 11), frequency correction bursts (SF) (page 4, [0041]) (page 3, [0031]-0036], page 3, [0092], Table 1 and page 4, [0054]).

Art Unit: 2611

Mege et al discloses all of the subject matter disclosed above, but for specifically teaching

- (a) estimating mean beat frequency
- (b) wherein the training sequences include eight training sequences associated with data bursts and a ninth training sequence associated with dummy bursts containing no data.
 - (i) with regards to item (a) above;

However, Critchlow in the same endeavor (communication systems) discloses a system and method for minimizing frequency offsets (beat frequency) between digital communications. In (fig.1, 36), known sync pattern is rotated by a pattern rotator 37 to simulate fixed frequency offsets. The known sync patter 36 is correlated with the sampled data by correlator 30 for a number of phase advances corresponding to the simulated fixed frequency offsets. The peak outputs 54 and 58 for the correlator 30 for the number of fixed frequency offsets is used to adjust the receivers voltage oscillator to reduce the offset (col.1, lines 59-67, col. 5, lines 37-68 and col. 6, lines 1-36).

One of ordinary skilled in the art at the time the applicant's invention was made would have been able to modify the invention of Meye et al as taught by Critchlow and estimate frequency offsets, thus reducing frequency offsets, proper frequency acquisition and less costly precision voltage controlled oscillators (col. 2, lines 52-57).

(ii) with regards to item (b) above;

However Liu discloses identifyling the training sequences of an arbitrary set of or all received burst (see abstract). On page 2, [0034]) Liu discloses **eight different**

sequences are used for normal burst (associated with data burst) and a **ninth "training** sequence" is used for dummy burst (associated with dummy burst). Liu is silent about dummy burst containing no data.

It is further evidence by Tynderfeldt et al (US 2008 0025266 A1) that the **dummy** burst contains no intelligent information to mobile terminals (see abstract, figs. 6,7).

It would have been obvious to one of ordinary skilled in the art at the time the invention was made to have utilized the method as taught by Liu in the method of Meye et al as taught by Critchlow in a manner as claimed in this application for the benefit of synchronizing communication devices.

(2) with regards to claim 2;

Mege et al further discloses wherein step f) comprises the additional step of correcting the symbol stream prior to step g (fig. 6, 42 and 43, pg. 7, [0084]-[0085]).

(3) with regards to claim 3;

Mege et al further discloses wherein the step of correcting the symbol stream incorporates substitution of symbols in the symbol stream where the symbol stream is known a priori (page 3, [0031], [0038], fig. 6, 42 and 43, page 7, [0085]).

(4) with regards to claims 4,14 and 17;

Mege et al discloses all of the subject matter disclosed above, but for specifically teaching wherein step f) further comprises comparing demodulated symbols with known symbols to provide an estimate of the symbol error rate.

Application/Control Number: 10/522,757

Art Unit: 2611

However, Critchlow in the same endeavor (regeneration of signals) discloses a system and method for minimizing frequency offsets (beat frequency) between digital communications. In (fig. 1, 36), known sync pattern is rotated by a pattern rotator 37 to simulate fixed frequency offsets. The known sync patter 36 is correlated with the sampled data by correlator 30 for a number of phase advances corresponding to the simulated fixed frequency offsets. The peak outputs 54 and 58 for the correlator 30 for the number of fixed frequency offsets is used to adjust the receivers voltage oscillator to reduce the offset (col.1, lines 59-67, col. 5, lines 37-68 and col. 6, lines 1-36).

Page 6

One of ordinary skilled in the art at the time the applicant's invention was made would have been able to modify the invention of Meye et al as taught by Critchlow and estimate frequency offsets, thus reduced frequency offsets, proper frequency acquisition and less costly precision voltage controlled oscillators (col. 2, lines 52-57).

(5) with regards to claims 5,15 and 18;

Mege et al implicitly discloses in (fig. 2, (9) a radio stage) includes down converting the received signal to a nominal 0Hz intermediate frequency (page 3, [0037]).

(6) with regards to claims 6, 16 and 19;

Mege et al discloses in (fig. 2, (9) a radio stage) wherein step a) further includes digitizing the intermediate frequency signal to provide a digitized symbol stream in a complex signal domain (page 3, [0037]).

Art Unit: 2611

(7) with regards to claims 7;

Mege et al discloses samples of the synchronization patterns are stored in a memory 15 of the module 11 (fig. 4, 15 and pg. 4, [0046]), but does not specifically teach estimating mean beat frequency

However, Critchlow in the same endeavor (regeneration of signals) discloses a system and method for minimizing frequency offsets (beat frequency) between digital communications. In (fig. 1, 36), known sync pattern is rotated by a pattern rotator 37 to simulate fixed frequency offsets. The known sync patter 36 is correlated with the sampled data by correlator 30 for a number of phase advances corresponding to the simulated fixed frequency offsets. The peak outputs 54 and 58 for the correlator 30 for the number of fixed frequency offsets is used to adjust the receivers voltage oscillator to reduce the offset (col.1, lines 59-67, col. 5, lines 37-68 and col. 6, lines 1-36).

One of ordinary skilled in the art at the time the applicant's invention was made would have been able to modify the invention of Meye et al as taught by Critchlow and estimate frequency offsets and store in the memory, thus reduced frequency offsets, proper frequency acquisition and less costly precision voltage controlled oscillators (col. 2, lines 52-57).

(8) with regards to claim 8;

Mege et al further discloses wherein step e) further includes estimating residual phase shift of the signal and storing the estimated residual phase shift of the signal in the database (fig. 4, 14, pg.4, [0046]-[0053]).

Art Unit: 2611

(9) with regards to claim 12;

Mege et al further discloses the step of using training sequences (fig. 5, 11) and correlation peaks (fig. 4) for multi-path compensation (fig. 6, 42 and 43, pg. 7, [0084]-[0085]).

(10) with regards to claim 13;

Mege et al further discloses wherein channel estimation (RC) of data sequences are used for multi-path compensation (page 4, [0043]-0045]).

(11) with regards to claim 21;

Mege et al further wherein the training sequences include eight training sequences (several different synchronization sequences) associated with data bursts (fig. 2,5, page 4, [0054]).

(12) with regards to claim 22;

Mege et al further discloses using channel estimation of data sequences for multi-path compensation (page 4, [0044]).

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2611

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to HELENE TAYONG whose telephone number is (571)270-1675. The examiner can normally be reached on Monday-Friday 8:00 am to 5:30 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Liu Shuwang can be reached on 571-272-3036. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Helene Tayong/ Examiner, Art Unit 2611

February 27, 2010

/Shuwang Liu/

Supervisory Patent Examiner, Art Unit 2611